

**Safety Data Sheet**  
according to 1907/2006/EC, Article 31

Printing date 02.02.2010

Revision: 28.01.2010

**1 Identification of substance:**

- **Product details:**
- **Trade name:** VALTRON® AD6020-A
- **Application of the substance / the preparation:** Epoxy resin adhesive
- **Manufacturer / Supplier:**  
N. Bucher AG  
Pfadackerstraße 9  
CH-8957 Spreitenbach  
Switzerland  
Tel.: ++41-56 418 19 90  
Fax: ++41-56 418 19 99
- **E-mail address of the competent person responsible for the Safety Data Sheet:** info@nbucherag.com
- **Informing department:** Sales
- **Emergency information:** As above or next toxicological information centre

**2 Hazards identification**

- **Hazard designation:**  
  
Xi Irritant  
N Dangerous for the environment

- **Information pertaining to particular dangers for man and environment**  
R 36/38 Irritating to eyes and skin.  
R 43 May cause sensitisation by skin contact.  
R 51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  
Contains epoxy constituents. See information supplied by the manufacturer.

**3 Composition/information on ingredients**

- **Chemical characterization:**
- **CAS No. Designation:**  
25068-38-6 Reaction product: Bisphenol-A-(epichlorhydrine) epoxy resin  
(number average molecular weight  $\leq$  700)
- **Identification number(s):**
- **Index number:** 603-074-00-8

**4 First aid measures**

- **General information:** Immediately remove any clothing contaminated by the product.
- **After inhalation:**  
Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.  
In case of unconsciousness bring patient into stable side position for transport.
- **After skin contact:**  
Instantly wash with water and soap and rinse thoroughly.  
Seek medical treatment.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult doctor.
- **After swallowing:**  
Rinse out mouth and then drink plenty of water.

(Contd. on page 2)

# Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 02.02.2010

Revision: 28.01.2010

**Trade name: VALTRON® AD6020-A**

(Contd. of page 1)

Seek immediate medical advice.

## 5 Fire fighting measures

- **Suitable extinguishing agents**  
Carbon dioxide (CO<sub>2</sub>), extinguishing powder or water spray/fog. Fight larger fires with water spray/fog or alcohol-resistant foam.
- **For safety reasons unsuitable extinguishing agents** Water with a full water jet.
- **Special hazards caused by the material, its products of combustion or flue gases:**  
Formation of toxic gases is possible during heating or in case of fire.  
Hydrogen chloride (HCl)  
Carbon monoxide (CO) and Carbon dioxide (CO<sub>2</sub>)
- **Protective equipment:** Wear self-contained breathing apparatus.
- **Additional information** Collect contaminated fire fighting water separately. It must not enter drains.

## 6 Accidental release measures

- **Person-related safety precautions:**  
Ensure adequate ventilation.  
Wear protective equipment. Keep unprotected persons away.  
Do not breathe vapours.  
Avoid skin and eye contact.
- **Measures for environmental protection:**  
Do not allow to enter drainage system, surface or ground water.  
Inform respective authorities in case product reaches water or sewage system.
- **Measures for cleaning/collecting:**  
Ensure adequate ventilation.  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose of the material collected according to regulations.

## 7 Handling and storage

- **Handling**
- **Information for safe handling:**  
Ensure good ventilation/exhaustion at the workplace.  
Avoid breathing vapours.  
Avoid skin and eye contact.
- **Information about protection against explosions and fires:** No special measures required.
- **Storage**
- **Requirements to be met by storerooms and containers:**  
Observe all local and national regulations for storage of water polluting products.
- **Information about storage in one common storage facility:**  
Do not store together with oxidizing and acidic materials.  
Do not store together with alkalis (caustic solutions).
- **Further information about storage conditions:**  
Store in cool, dry conditions in well sealed containers.  
Store container in a well ventilated position.

## 8 Exposure controls and personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Components with critical values that require monitoring at the workplace:** Not required.
- **Additional information:** The lists that were valid during the compilation were used as basis.

(Contd. on page 3)

# Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 02.02.2010

Revision: 28.01.2010

Trade name: VALTRON® AD6020-A

(Contd. of page 2)

- **Personal protective equipment**
- **General protective and hygienic measures**  
 Keep away from foodstuffs, beverages and food.  
 Instantly remove any contaminated garments.  
 Do not inhale gases / fumes / aerosols.  
 Avoid contact with the eyes and skin.  
 Wash hands during breaks and at the end of the work.
- **Breathing equipment:** Use breathing protection when aerosol or mist is formed.
- **Protection of hands:**  
 Protective gloves  
 To avoid skin problems reduce the wearing of gloves to the required minimum.  
 Check the permeability prior to each renewed use of the glove.  
 The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
 Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.
- **Material of gloves**  
 Neoprene gloves  
 Product can penetrate gloves.  
 The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
- **Penetration time of glove material**  
 The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Tightly sealed safety glasses
- **Body protection:** Protective work clothing

## 9 Physical and chemical properties:

### · General Information

<b>Form:</b>	liquid
<b>Colour:</b>	clear
<b>Smell:</b>	characteristic

### · Change in condition

**Melting point/Melting range:** not determined  
**Boiling point/Boiling range:** > 200°C

· **Flash point:** > 254°C

· **Danger of explosion:** Product is not explosive.

· **Density at 25°C** 1.16 g/cm<sup>3</sup>

### · Solubility in / Miscibility with

**Water:** Not miscible or difficult to mix

## 10 Stability and reactivity

- **Thermal decomposition / conditions to be avoided:**  
 No decomposition if used and stored according to specifications.
- **Materials to be avoided:**  
 Strong oxidizing agents  
 Strong acids  
 Alkaline materials
- **Dangerous reactions** Reacts with acids, alkalis and oxidizing agents.
- **Dangerous products of decomposition:**  
 Hydrogen chloride (HCl)

(Contd. on page 4)

# Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 02.02.2010

Revision: 28.01.2010

Trade name: VALTRON® AD6020-A

(Contd. of page 3)

Carbon monoxide (CO) and Carbon dioxide (CO<sub>2</sub>)  
Poisonous gases/vapours

## 11 Toxicological information

- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

Oral	LD50	> 5000 mg/kg (rat)
Dermal	LD50	> 6000 mg/kg (rabbit)

**25068-38-6 Reaction product: Bisphenol-A-(Epichlorhydrine) Epoxy resin (number average molecular weight ≤ 700)**

Oral	LD50	11400 mg/kg (rat)
Dermal	LD50	> 2000 mg/kg (rabbit)

- **Primary irritant effect:**
- **on the skin:** Irritant for skin and mucous membranes.
- **on the eye:** Irritant effect
- **Sensitization:** Sensitization possible by skin contact.
- **Sensitisation** May cause sensitisation by skin contact.

## 12 Ecological information:

- **General notes:** Water hazard class 2 (Assessment by list): hazardous for water

## 13 Disposal considerations

- **Product:**
- **Recommendation** Disposal must be made according to official regulations.
- **European waste catalogue:**  
Waste disposal key numbers from EWC have to be assigned depending on origin and processing.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

## 14 Transport information

- **Land transport ADR/RID (cross-border):**



- **ADR/RID Class:** 9 (M6) Miscellaneous dangerous substances and articles.
- **Kemler Number:** 90
- **UN-Number:** 3082
- **Packaging group:** III
- **Label:** 9
- **Special marking:** Symbol (fish and tree)
- **Designation of goods:** UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Reaction product: Bisphenol-A-(epichlorhydrine) epoxy resin (number average molecular weight ≤ 700))
- **Limited quantities (LQ):** LQ7
- **Transport category:** 3

(Contd. on page 5)

# Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 02.02.2010

Revision: 28.01.2010

Trade name: VALTRON® AD6020-A

(Contd. of page 4)

· **Tunnel restriction code:** E· **Maritime transport IMDG-Code:**

- **IMDG Class:** 9
- **UN Number:** 3082
- **Label:** 9
- **Packaging group:** III
- **EMS Number:** F-A,S-F
- **Correct technical name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Reaction product: Bisphenol-A-(epichlorhydrine) epoxy resin (number average molecular weight  $\leq 700$ ))

· **Air transport ICAO-TI and IATA-DGR:**

- **ICAO/IATA Class:** 9
- **UN/ID Number:** 3082
- **Label:** 9
- **Special marking:** Symbol (fish and tree)
- **Packaging group:** III
- **Correct technical name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Reaction product: Bisphenol-A-(epichlorhydrine) epoxy resin (number average molecular weight  $\leq 700$ ))

· **Transport/Additional information:** Transport by post may be prohibited or restricted.

## 15 Regulatory information

· **Designation according to EC guidelines:**

The product has been classified/labelled in accordance with EC Directives / relevant national laws.

· **Code letter and hazard designation of product:**

Xi Irritant  
N Dangerous for the environment

· **Risk phrases:**

36/38 Irritating to eyes and skin.

43 May cause sensitisation by skin contact.

51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

· **Safety phrases:**

28 After contact with skin, wash immediately with plenty of soap and water.

37/39 Wear suitable gloves and eye/face protection.

61 Avoid release to the environment. Refer to special instructions/safety data sheets.

· **Special designation of certain preparations:**

Contains epoxy constituents. See information supplied by the manufacturer.

· **National regulations**· **Information about limitation of use:** Employment restrictions concerning young persons must be observed.

(Contd. on page 6)

**Safety Data Sheet**  
according to 1907/2006/EC, Article 31

Printing date 02.02.2010

Revision: 28.01.2010

**Trade name: VALTRON® AD6020-A**

(Contd. of page 5)

- **Decree to be applied in case of technical fault:**  
*Quantity limits according to "EC Seveso directive" should be observed.*
- **Water hazard class:** *Water hazard class 2 (Assessment by list): hazardous for water*

**16 Other information:**

*These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

- **Reasons for changes:**  
*The Material Safety Data Sheet has been revised. Changes in the respective chapters are characterized in the left side edge by \*.*
- **Department issuing MSDS:**  
C.S.B. GmbH                      Phone: +49 - 2151 - 652086-0  
Parkstraße 29                      Fax: +49 - 2151 - 652086-9  
D-47829 Krefeld  
Germany
- **\* Data compared to the previous version altered.**

-GB-